

NATIONAL INSTITUTE OF PUBLIC HEALTH
- National Institute of Hygiene
Department of Environmental Health and Safety

HYGIENIC CERTIFICATE BK/B/0774/01/2018

product: **PROFILATEX - Latex paint with high resistance to dirt**

containing: acrylic resin, pigments, water

destined: use in residential and public buildings, including educational and health services (including treatment rooms, operating rooms), and in service and production institutions, including the food industry without contact with food

the above-named product is acceptable according to hygienic criteria with the following conditions:

Packaging must have a label in Polish language containing precautions in accordance with product safety data sheet in accordance with the applicable legal regulations. Keep the product out of the reach of children. In case of use in medical institutions, the product must meet the requirements of regulation of the Minister of Health of June 26, 2012 (Journal of Laws 2012.739 of June 29, 2012) on detailed requirements to be met by the premises and equipment of the entity performing the medicinal activity. Products can be used in health care rooms with high hygienic requirements (operating rooms, intensive care unit etc.), if it has been confirmed cleanliness class 1, 2, 3 according to the ISO 14644-1 standard.

Hygienic certificate does not apply to technical parameters, utility value and allergenic properties of the product

producer: Farby KABE Polska Sp z o.o.
40-742 Katowice
ul. Śląska 88

this certificate issued for: Farby KABE Polska Sp z o.o.
40-742 Katowice
ul. Śląska 88

The certificate may be corrected or cancelled after appropriate motivation. The certificate loses its validity after 2023.08.14 or in the case of changes in composition or in technology of production.

The date of issue of the certificate:
14th August 2018

deputy manager
Department of Environmental Health and Safety

dr hab. Jolanta Soleccka prof. NIPH-NIH

To contact regarding this hygienic certificate Department of Environmental Health and Safety
NIPH_NIH

00-791 Warszawa, rll.Chocimska 24 | 00-791 Warszawa, Chocimska 24, Poland
e-mail: sek-zhk@pzh.gov.pl tel. +48 22 54-21-354, +48 22 54-21-349, fax: +48 22 54-21-287